

Docket No.: PF-0334-2 DIV

#### REMARKS

In response to Examiner Roark's suggestions, claims 36 and 39 have been amended. This Supplemental Preliminary Amendment is submitted in compliance with 37 CFR 1.121. Claim 36 now reads, "A method of preparing a polyclonal antibody with the specificity of the antibody of claim 11, the method comprising: ..." Claim 39 now reads "A method of making a monoclonal antibody with the specificity of the antibody of claim 11, the method comprising: ...". Applicants expressly state that these claims are **not** being amended for reason related to patentability, and are in fact fully supported by the specification as filed.

By this Supplemental Preliminary Amendment, claims 11, 36-39, 41, and 44 were amended to place the claims in better form for examination and have not been made for reasons relating to patentability. Applicants respectfully request acceptance and entry of this Supplemental Preliminary Amendment.

## **Restriction Requirement**

In the Restriction Requirement, the Examiner requested Applicants to elect one of the following inventions:

Group I (claim 1) drawn to a polypeptide comprising SEQ ID NO:1 and variants thereof, classified in Class 435, subclass 183.

Group II (claims 11, 31-32, 34, 36-43) drawn to antibodies to the polypeptide of SEQ ID NO:1, compositions thereof, and methods of making the antibodies, classified in Class 530, subclass 387.1; Class 424, subclass 130.1; and Class 435, subclass 326.

Group III (claims 30 and 44) drawn to a method/diagnostic test for a condition associated with expression of the polypeptide of SEQ ID NO:1, each comprising detecting the polypeptide in a biological sample; classified in Class 436, subclass 63 and Class 435, subclass 7.1.

Group IV (claims 33 and 35) drawn to a method of diagnosing a condition associated with expression of the polypeptide of SEQ ID NO:1 by administering an antibody to the polypeptide to a subject, classified in Class 424, subclass 130.1 and Class 435, subclass 7.1.

Group V (claim 45) drawn to method for using an antibody to purify the polypeptide of SEQ ID NO:1 from a sample; classified in Class 530, subclass 413.

Docket N .: PF-0334-2 DIV

Applicants hereby elect, with traverse, to prosecute Group II, which includes and is drawn to claims 11, 31-32, 34, and 36-43 drawn to antibodies which specifically bind to polypeptides SEQ ID NO:1, compositions comprising the antibodies, and a method of making antibodies, with traverse.

Claims directed to methods of using the claimed antibodies for diagnosing a condition or disease (i.e., claims 30, 33, and 35), for detecting a polypeptide of SEQ ID NO:1 (i.e., claim 44), and for purifying a polypeptide of SEQ ID NO:1 (i.e., claim 45), could and should be examined together with the product claims from which they depend, per the Commissioner's Notice in the Official Gazette of March 26, 1996, entitled "Guidance on Treatment of Product and Process Claims in light of *In re Ochiai, In re Brouwer* and 35 U.S.C. § 103(b)" which sets forth the rules, upon allowance of one of the product claims, for rejoinder of process claims covering the same scope of products. Applicants presume these method claims will be rejoined, upon determining allowability of the product claims from which they depend.

Applicants reserve the right to prosecute non-elected subject matter in subsequent divisional applications.

If the Examiner contemplates other action, or if a telephone conference would expedite allowance of the claims, Applicants invite the Examiner to contact the undersigned at (650) 621-8555.

Applicants believe that no fee is due with this communication. However, if the USPTO determines that a fee is due, the Commissioner is hereby authorized to charge Deposit Account No. 09-0108.



Docket No.: PF-0334-2 DIV

Respectfully submitted,

INCYTE GENOMICS, INC.

Date: 07, October 2002.

Shirley A. Recipon Reg. No. 47,016

Direct Dial Telephone: (650) 621-8555

Date: 07 October ZUZ

Richard C. Ekstrom Reg. No. 37,027

Direct Dial Telephone: (650) 843-7352

3160 Porter Drive Palo Alto, California 94304 Phone: (650) 855-0555

Fax: (650) 849-8886



Docket No.: PF-0334-2 DIV

# <u>VERSION WITH MARKINGS TO SHOW CHANGES MADE</u> <u>IN THE SPECIFICATION:</u>

## The first paragraph f page 1 has been amended as follows:

This application is a divisional [of] application of U.S. application serial number 09/258,643 filed on February 26, 1999, now U.S. Patent No. 6,277,373, which is a divisional [of] application of U.S. application serial number 08/884,681 filed on June 27, 1997, now U.S. [patent number] Patent No. 5,955,338, the contents all of which are hereby incorporated by reference.

### IN THE CLAIMS:

Claim 1 has been canceled.

Claims 11, 36-39, 41, and 44 have been amended as follows:

- 11. (Once Amended) An isolated antibody which specifically binds to a polypeptide [of claim 1] selected from the group consisting of:
  - a) a polypeptide comprising the amino acid sequence of SEQ ID NO:1,
  - b) a polypeptide comprising a naturally occurring amino acid sequence at least 90%
     identical to the amino acid sequence of SEO ID NO:1 and having phosphatidylinositol
     4.5-bisphosphate 5-phosphatase activity.
  - c) an immunogenic fragment of a polypeptide having the amino acid sequence of SEQ ID

    NO:1.
- 36. (Once Amended) A method of preparing a polyclonal antibody with the specificity of the antibody of claim 11, the method comprising:
  - a) immunizing an animal with a polypeptide having an amino acid sequence of SEQ ID
     NO:1[,] or an immunogenic fragment thereof, under conditions to elicit an antibody response;
  - b) isolating antibodies from said animal; and
  - c) screening the isolated antibodies with the polypeptide, thereby identifying a polyclonal antibody which binds specifically to a polypeptide having an amino acid sequence of SEQ ID NO:1.

101483 9 09/892,287

## Docket N .: PF-0334-2 DIV

- 37. (Once Amended) [An] A polyclonal antibody produced by a method of claim 36.
- 38. (Once Amended) A composition comprising the <u>polyclonal</u> antibody of claim 37 and a suitable carrier.
- 39. (Once Amended) A method of making a monoclonal antibody with the specificity of the antibody of claim 11, the method comprising:
  - immunizing an animal with a polypeptide having an amino acid sequence of SEQ ID NO:1[,] or an immunogenic fragment thereof, under conditions to elicit an antibody response;
  - b) isolating antibody producing cells from the animal;
  - fusing the antibody producing cells with immortalized cells to form monoclonal antibody-producing hybridoma cells;
  - d) culturing the hybridoma cells; and
  - e) isolating from the culture monoclonal antibody which binds specifically to a polypeptide having an amino acid sequence of SEQ ID NO:1.
- 41. (Once Amended) A composition comprising the <u>monoclonal</u> antibody of claim 40 and a suitable carrier.
- 44. (Once Amended) A method for detecting a polypeptide having an amino acid sequence of SEQ ID NO:1 in a sample, the method comprising [the steps of]:
  - incubating the antibody of claim 11 with a sample under conditions to allow specific
     binding of the antibody and the polypeptide; and
  - b) detecting specific binding, wherein specific binding indicates the presence of a polypeptide having an amino acid sequence of SEQ ID NO:1 in the sample.

			638789 		K G V P M D Q S S R G Q D K P E S 91019103 S S M N L D K K I N S Q N Q P T G 91420920
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 LEL SQL	1 3 D L 1 1 Z Z 1 1 d Q
1 1 20 1		3 L D Q	) : A	R C A E A Q	H
	1 1 2 1			11241	
S P L A A	1 1 Ø 1	B		1141	1 1 2 2
L S   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -   C -		X	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 G A A A A A A A A A A A A A A A A A	
S - 3 7	> ¢			ATE	1 1 D C
MDVL AR VTVP MEPP	図       U       図		D 71	1	1 1 K Q
	9 K 4 8	6 E 점 검	و 121 3	9 3 161 107	9 3 201 133

Title:

INCYTE LEGAL DEPT<sub>No.: PF-0334-2</sub> DIV Inventors: Hillman et al.

•					10 m C
638789 g1399105 g1019103 g1420920	638789 91399105 91019103 91420920	638789 g1399105 g1019103 g1420920		] 638789 - g1399105 V g1019103 V g1420920	L 638789 - 91399105 S 91019103 M 91420920
			L L V F A K Y O H	YGYYVSI  HNTSICV HNTTE	INGIQ
DKAHILS EQPKVTN			R L VG IM	GVNICLKL GVAIRFOF GVAVRFVF	ONCE-G OFGOPD SFVVPN
	 EEDYTYI EKEYVNI	V Y C V G F Q	FIKVSHVI YAKVQLU	YWGNKG RMGNKG KMGNKG	FDRI-LEM  YKDICSRM YKDICARM
		NGIOAPD CDPNPPD		V GTGIM	YORLEH  ERRNOD
X X X X X X X X X X X X X X X X X X			1 1 64 03	SEV	PPHISN AAHIEE AAHVED
9 3 236 LQPRQ 177 THREP	1		1 1 X X	LPYI LPYI AAYI	NCHI NSHI

Inventors: Hillman et al.

HOSPHATIDYLINOSITOL 4,5-BISPHOSPHATE 5-PH

Serial No.: 09/892,287

ATASÉ

g1399105 g1019103 g1019103 g1420920 g1399105 g1399105 g1399105 g1019103 g1420920 g1399105 g1019103 g1420920 g1019103 g1399105 g1420920 g1019103 g1420920 638789 638789 638789 田口 7 7 0 0 Z Z 1 1 ı > > 1 S S S S <del>内は</del>でで 0000 V N D - - A C K D - - - A C K D - - - A C K D - - - A C K D - - - A C K D - - - A C K D - - A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C K D A C C K D 00 .<u>ਹਾਰ</u> ਪ \_ > ×  $\times \times \times \times \times$ SECOR **⊢**:> : S C C S S H > <del>| X | X | X |</del> धा<u>र</u> घा छ X X > 12 HH I Ç O S S S 3 田田太太 **S** S S S ι [7] 1<u>3</u> > > ល 角田山山 FFFS > > > 5 4000 0 <u>0</u> × 0 XDO धा दिखा 🗅 > > 3 3 FFZ (C) 지 <u>교</u> 는 다 N 20 00 10 데어디 > + > OXDX Ę **# 00 0** OHO Z 医田口丘 OZZ ZZDD (CO 거도그 ХХ УХ У В О О О Х Х 그그타> J 1 1 NEST [24] . ... > к к к к z o o × ı 7 I K D X X 1 1 4 HSix **₹** > ₽ S Z: S E X CSAPL DMPL ひりょりょう Ŀ > 1 A A A A K O I ı  $O \otimes Z$ Υĺ 7 7 <u>7 7</u> S S 4 드드 إبد × -1 ннн 7 9 5 0 0 区 豆 TYK TEK TYK 四 - į - i الم K I I S) ល្ង 日正姓氏 1 1 O Ηİ -1 アスの **3** × **2 3** 1 4 1 > S 1 1  $\alpha \times \times \times$ ᆈ ZW 3822 1 1 H <u>م</u> م 4 ļ а 1 교 () 보고 조<u>홍</u> > > **A** 1 1 희도>> MAOH S ţ ١ r rx n O × Z K X K KX ١ ŧ Him Z בנאוב <u>ಬ\_ಬ</u> ೧ ಡ <u>v</u> <u>v</u> 그 또 > > JZH i ١ A CIL 3333 国 〇 0 0 COLET LE LE 1 1<u>11</u>H ı - <u>G</u> L D G **₹** > 0 4 H H EF حات کم بھ ပြုပ 1 1 **医 日 日** A OF E ROP -لعا بعا بئا يا 1 1 1 M Z 1 1 0 0 <u>> छ छ</u> ចចាត ı L C C ŧ 回 **┐╷**┎< OOFZ ŧ 1  $\mathbf{H}$ لعن ۲۰۰۱ تعما 조조조 In 14 12 12 H K IEIO L K G ក្⊠ខាខ ≪ তি ত 1 RL ਲ > G Ø Ĺ X ഥ 3 3 X SELI 5 > > I Z Z X > 2 Si 조[의 교 ı 3 3 ı <u>다 다 다</u> ф Σ r KKK D, ı x x x1 G D 7 × 2224 A C I 1 X X SIEN H H O O ı <sup>고</sup>로 타 ≍ ннн טו **Z** 04 তা ৰ T D R C D R D R 디로 저 저 124 н > 为 N N N N EVVIIW EVVIW F 4 0 MI Ξĺ > >1 Ŀ 124 0 t X X 1 > f f ¥ Z Æ, ۲ 一田の OAD 333 0 0 8 조조 1 12, 12 Z w Z z 4 4 4 4 4 ≽⁺⋝ҹ ב ב a, 44 I I ल ल स्बद्ध а HEHH ۵ 1 0 0 Σ ΣΣ ΣΣ Σ XXX I X H ഗിമ ı **ب**م ф ¥ 1 I # # ٥ 王 R R œ コロ 1 Z 610 556 143 380 227 104 570 516 547 147 2507 453 193 467 £8 69

FIGURE 2C

KGHG SGEDKIEDII SGEDKIEDII SGEDKIEDII UGITEPF - Q	LPSCFGTSLEALCRMKREINE VENT	LARFPGLALRPSSRERRGASRSPSPQSRRLS LARFPGLALRPSSRERRGASRSPSPQSRRLS LFQQPGLRSEFEHIRDCLDTGMIDNLSASNHSVAEALLLF	RVA-PDRSSNGSSREGPSGLPGPWAFPPAVPRS LESLPEPVICYSTYHNCLECSGNYTASKQVISTLPIFHKN LESLPEPVICYSTYHNCLECSGNYTASKQVISTLPIFHKN	V F H Y
75	<b>a</b> 6, 141.	• • • • •		